

From: [Denise Zeno](#)
To: [Rebecca Ofrane](#)
Subject: Re: Fw: Indoor Sampling at Cabo Rojo?
Date: 02/22/2012 02:16 PM

sounds good. i'm here until 5pm

▼ Rebecca Ofrane---02/22/2012 02:15:02 PM---I'm available after 4pm, what time are you here until? From: Denise Zeno/R2/USEPA/US

From: Rebecca Ofrane/R2/USEPA/US
To: Denise Zeno/R2/USEPA/US@EPA
Date: 02/22/2012 02:15 PM
Subject: Re: Fw: Indoor Sampling at Cabo Rojo?

I'm available after 4pm, what time are you here until?

▼ Denise Zeno---02/22/2012 02:13:49 PM---can you come by my cubicle? From: Rebecca Ofrane/R2/USEPA/US

From: Denise Zeno/R2/USEPA/US
To: Rebecca Ofrane/R2/USEPA/US@EPA
Date: 02/22/2012 02:13 PM
Subject: Re: Fw: Indoor Sampling at Cabo Rojo?

can you come by my cubicle?

▼ Rebecca Ofrane---02/22/2012 02:11:48 PM---Hi Denise - sorry I didn't get this in time. Can we chat to catch up on whatever the meeting was about

From: Rebecca Ofrane/R2/USEPA/US
To: Denise Zeno/R2/USEPA/US@EPA
Date: 02/22/2012 02:11 PM
Subject: Re: Fw: Indoor Sampling at Cabo Rojo?

Hi Denise - sorry I didn't get this in time. Can we chat to catch up on whatever the meeting was about?

Thanks,

[Becky Ofrane](#)
[U.S. EPA Region 2 | Superfund Risk Assessment](#)
[\(212\) 637 4302](#)
ofrane.rebecca@epa.gov

Please consider the environment before printing.

▼ Denise Zeno---02/22/2012 11:46:40 AM---can you call this # now....for this meeting is 866-299-3188 The correct passcode is:

From: Denise Zeno/R2/USEPA/US
To: Rebecca Ofrane/R2/USEPA/US@EPA
Date: 02/22/2012 11:46 AM
Subject: Fw: Indoor Sampling at Cabo Rojo?

can you call this # now....for this meeting is 866-299-3188
The correct passcode is;
732 906 6925

----- Forwarded by Denise Zeno/R2/USEPA/US on 02/22/2012 11:45 AM -----

From: Leah Escobar/R2/USEPA/US
To: Denise Zeno/R2/USEPA/US@EPA
Date: 02/22/2012 11:35 AM
Subject: Re: Indoor Sampling at Cabo Rojo?

Hi Denise
The correct passcode is;
732 906 6925
Sent by EPA Wireless E-Mail Services

----- Original Message -----
From: Denise Zeno
Sent: 02/16/2012 02:30 PM EST
To: "Dyken, Jill J. (ATSDR/DHAC/SRAB)" <azd9@cdc.gov>
Cc: Leah Escobar; Elena Vaouli
Subject: Re: Indoor Sampling at Cabo Rojo?

last week Joe Rotola from the removal program spoke to our branch chief, Angela Carpenter, to set up a meeting to discuss sampling strategies and/or their limitations due to finding issues. I sent a message to Angela asking her about the meeting. I'll keep you posted.
Denise

-----"Dyken, Jill J. (ATSDR/DHAC/SRAB)" <azd9@cdc.gov> wrote: -

=====
To: Denise Zeno/R2/USEPA/US@EPA
From: "Dyken, Jill J. (ATSDR/DHAC/SRAB)" <azd9@cdc.gov>
Date: 02/16/2012 02:12PM
Cc: Leah Escobar/R2/USEPA/US@EPA, Elena Vaouli/R2/USEPA/US@EPA
Subject: Indoor Sampling at Cabo Rojo?
=====

Hi Denise,

I hope you are doing well! I was just wondering if you had any update on when EPA might be doing that indoor air sampling we recommended for the Cabo Rojo site, especially at the Head Start facility. The letter health consultation you reviewed earlier is working its way through ATSDR clearance, and some of the reviewers have asked if we can put down a planned date for the sampling.
Thanks!

Jill

Jill J. Dyken, PhD, PE
Environmental Health Scientist

Agency for Toxic Substances and Disease Registry
Division of Health Assessment and Consultation
Mail and Deliveries: 4770 Buford Highway NE, MS F-59, Atlanta,
GA 30341-3717

Toll Free: 1-800-CDC-INFO
Office Direct: 770-488-0768
Telework (Wed. and alternate Fri.): 404-321-9030
Fax: 770-488-1547
JDyken@cdc.gov<mailto:JDyken@cdc.gov>